Journal of Applied Polymer Science

Subject Index to Volume 49

Accelerators, 2009
Acetylation, 727
Acid dye removal, 975
Acid functional groups, 103
Acid–base interaction(s), 183, 799
Acrylic fibers, 2207
Activation energy, 1107
Active diluent concentration, 835
Additive(s), 815, 1989
Adhesion, 183, 511
Adhesion agent, 1595
Adhesion strength, 511
Adhesive bond strength, 1387
Adhesive bonding, 1251
Adhesives, 337, 1387
Adsorbents, 599
Adsorption kinetics, 1733
Adsorption process, 1635
Agari's model, 1901
Agglomeration, 1415
Aggregate-free solutions, 1189
Aggregates, 1189
Air–polymer–substrate interfaces, 1277
Alfrey–Mayo kinetics, 991
Alkaline hydrolysis, 175
Aluminum surface, 511
Ammonia, 2207
Amorphous glassy state, 1931
Amorphous thermoplastics, 1931
Anhydride curing, 319
Anilines, 1123
Anomalous diffusion behavior, 1845
Antiblock agents, 1619
Anticorrosion coating, 1957
Antioxidant additive BHT, 1825
Antioxidants, 1123, 1483, 1825
Antirads, 1123
Aqueous foams, 1453
Aqueous PEG solutions, 1653
Aqueous solutions, 975
Aqueous sulfuric acid solution, 583
Arrhenius equation, 175
Arrhenius relation, 97
ATR FTIR spectroscopy, 345
Autoclave, 1041
Avrami model, 1395
Azo dyes, 2235

Bagasse, 1603
Ballistic performance, 275
Basic dyes, 1647
Batch polymerization, 633
Bead-spring chains, 1809
Behavior, 91
BF_3–amine complexes, 685
BHT vaporization, 1825
Bimodified precursors, 469
Binary accelerator system, 2009
Binary blends, 477
Bingham and Williamson pseudoplastic materials, 1589
Bingham materials, 1589
Biodegradable thermoplastic composites, 2091
Biomer, 815
Birefringence, 1277
Birefringence measurements, 1405
Blend composition, 477
Blend films, 1241
Blending, 1241
Blends, 53, 111, 133, 425, 477, 549, 657, 673, 807, 901, 913, 1003, 1047, 1131, 1145, 1165, 1175, 1791, 1791, 1887, 1893, 1985
Blends of, 1115
Block copolymers, 487, 523
^{11}B-NMR, 685
Branching, 2221
Brittle–ductile transition, 673, 1985
Brittleness, 425
Bulk copolymers, 991
Bulk monomers, 1989
Bulk polymerization, 445
Bulk refractive index, 2147
Butadiene rubber, 807

Cable insulation, 159
Carbon black, 1659
Carbon black-filled thermoplastic elastomers, 1777
Carbon fibers, 469
Carboxymethylation, 741
Cardanol, 2129
Cation-active emulsifier, 1107
Cation-exchange composites, 291
Cationic surfactants, 175
Cellulose backbone, 1671
Cellulose derivatives, 1671
Cellulose fiber modification, 1603
Celluloses, 1491
Ceric-ion-initiated grafting, 1979
Chain configuration, 2065
Chain lengths, 187
Chain packing, 2065
Chain transfer agent, 2179
Chain-stiffening, 893
Charge-transportation material, 679
Chelation, 727
Chemical compatibilizer, 1145
Chemical composition distribution (CCD), 953, 2029
Chemical modification, 375
Chemical vapor deposition and polymerization (CVDP), 565
Chemically modified elastomers, 375
Chemiluminescence, 1887
Chiral resolution, 851
Chiral stationary phases, 851
Chitosan fibers, 727
Chudnovsky model, 877

Cis contents, 2065
Cis–trans isomerization, 2235
^{13}C-NMR spectroscopy, 435, 2065
Coatings, 835, 1471
Cocrystallization, 477
Coemulsion, 1031
Coherent secondary nucleation theory, 765
Color removal, 975
Comonomer, 1709
Compatibilization, 1165
Composites, 263, 291, 573, 617, 1405, 1475, 1547, 1625, 1639, 1659, 2025
Compounds, 1159
Condensation polymerization, 1353
Conducting, 2171
Conductive composites, 2025
Conductive filler chains, 1625
Conductivity, 397, 1725
Contact angle goniometry, 1857
Contact lens application, 1869
Contact-angle measurements, 117, 701
Copolyesters, 391, 1093
Copolymerization, 91
Copolymers, 31, 953
—, dynamic mechanical properties, 31
—, tensile stress, 31
Copper complexes, 2171
Copper surfaces, 1957
Corona treatment, 1251
Correlation, 1791
Corrosion protection, 1957
Cosmetics, 461
Covalent fixation, 2121
Crack growth, 885
Creep, 863
Critical molecular chain length, 1497
Cross-linkers, 1387
Cross-linking, 133, 291, 785, 1071, 1291, 2075
Crystal dissolution behavior, 765
Crystallinity, 209, 1291, 2115
Crystallization, 7, 863, 1165
Crystallization kinetics, 623, 765, 1395
Cure reactions, 219
Cured systems, 2105
Curing, 319, 1131, 1441, 2157
Curing agents, 1131, 1751
Curing time, 1595
CVF value, 1625
Cyclic stress, 229
Cyclic voltammetry, 397

Dangling chains, 1013
Dangling polymer networks: glass transition, 1013
Deborah number, 1845
Degradation, 397
Degradation mechanism, 1303
Demixing–solvent system, 1265
Deterrents, 275
Dialkyl peroxides, 785
DiBenedetto's equation, 1441
Die drawing technology, 15
Die swell, 1475, 1777
Dielectric loss, 1725
Differential Scanning Calorimetry (DSC), 125, 319, 391, 523, 623, 657, 807, 1003, 1047, 1211, 1223, 1405, 1565, 1603, 1647, 1653, 2019
Differential Thermal Analysis (DTA), 1291, 1483, 2019
Diffusion, 247
Diffusion coefficients, 1205
Direct-energy transfer method, 151
Discoloration, 1055
Dispersion, 197, 381, 1405
Dispersion in low-density polyethylene (LDPE) pigment masterbatches, 381
Dispersion polymerization, 1309
Displacement, 885
DLVO (Deryaguin–Landau–Verwey–Overbeek) theory, 445
Double-conjugated bindings, 1299
Draw resonance, 1759
Draw resonance of polymer fluids, 1759
Draw speed, 15
Draw temperature, 15
Dry–wet spinning process, 539
DTA–TG analyses, 1303
DTPA mobility, 1865
Dyeing, 1647
Dyes, 1733
Dynamic mechanical analyses (DMA), 807
Dynamic spectrometer, 487
Dynamic viscosity measurements, 111
Dynamic vulcanization, 1893
Dynamical–mechanical thermal measurements, 1211

(E–CE) C/AA mesomorphic solutions, 125
Effluents, 975
Elastic modulus, 617
Elastic pancake, 2197
Elastomer blends, 549
Elastomers, 1115
—, unfilled, 2197
Electric conductivity, 719
Electrical properties, 1725
Electrochemical polymerization, 1471
Electrodeposition, 1019, 1031
Electrodeposition theory, 1431
Electron microscopy, 125
Electron Spectroscopy for Chemical Analysis (ESCA), 523
Electropolymerization, 583
Electrosynthesis, 2025
Emulsion copolymers, 991
Emulsion polymerization, 187
Emulsions, 65, 633
Enzyme immobilization, 2121
Epoxidized natural rubber (ENR), 375
Epoxy coatings, 345
Epoxy homopolymerization, 685
Epoxy molding compounds, 331
Epoxy resins, 1019, 1031, 1131, 1751, 1921, 2003
Epoxy systems, 657
Esters, 2157
Ethylene–propylene–diene terpolymers (EPDMs), 111
Ethylene–vinyl acetate copolymer (EVA), 901
Extensional flows, 733
Extraction chromatography, 1529
Extrudate swell behavior, 1777
Exudation processes, 345

Fatigue, 863
Fatigue crack initiation, 1909
Fatty acid amides, 1619
Feed-flow rate, 81

Fiber loading, 573
Fibers, 175, 469, 501, 593, 727, 1647, 1835, 2207
Fibril formation, 839
Fibrinogen, 815
Fibrous adsorbents, 599
Fickian diffusion model, 151
Filament production parameters, 501
Filled composites, 617
Filler content, 143
Filler particle size, 617
Filler silica particle size, 331
Fillers, 1625
Film coating, 1471
Film refractive index, 39
Film(s), 247, 257, 397, 511, 523, 711, 1241, 1277, 1639, 1683, 1769, 2137
Film–substrate interface, 103
Finemann–Ross method, 823
Finite bath conditions, 1205
Fire retardants, 159
Flame retardant polymers, 2129
Flame-retardant EPM compositions, 159
Flammability, 2129
Flory's distribution, 1353
Flory's melting point-composition relationship, 765
Fluids, 1759
Fluoroelastomer networks, 1071
Foaming, 1453
Food packaging polyamides, 1733
Fourier transform infrared (FTIR) quantitative analysis, 1031
Fourier Transform Infrared Spectroscopy (FT-IR), 523, 1679, 1963
Fourier-transform infrared spectroscopy (ATR FT–IR), 103
Four-point probe DC method, 719
Fractionated crystallization, 1165
Fractionation, 953, 1265
Fracture toughness, 229
Free volume, 2081
FTIR spectroscopy and X-ray photoelectron spectroscopy (XPS), 711

γ-irradiation, 1291
γ-ray irradiation, 1197
Gas phase sequential polymerization kinetics, 1573
Gas transport, 2081
Gauche → *trans* transitions, 925
Gel effect, 2179
Gel swelling ratios, 1553
Gelling agents, 2075
Gels, 851, 1653, 1865
Glass surfaces, 417
Glass transition temperatures, 1921, 2029
Glassy polymeric matrices, 2235
Glassy polymers, 247, 257, 1845
Gold, 1635
Graft chain, 1211
Graft chain length, 1309
Graft copolymers, 935, 1211
Graft polymerization, 1679
Graft-copolymerization, 1423
Grafting, 25, 593, 599, 935, 1565, 1603, 1835, 1979, 2019
Grafting monomers, 1835
Graphite fiber preform, 583

HDPE/$CaCO_3$ blends, 1985
Heat capacity, 1047
Heat stability, 1387
Heat transfer, 559
HEMA/EMA copolymer waveguides, 2147
HEMA-grafted silk fibers, 1835
Hemofiltration, 539
Herschel–Bulkley model, 65
Heterogeneous catalysis, 1695, 1709
High molecular weight, 15
High performance liquid chromatography (HPLC), 747
High-impulse loads, 1065
High-quality thin-film integrated optical waveguides (IOW), 2147
Homogeneous mixing, 1241
HVO (Hesselink–Vrij–Overbeek) theory, 445
Hydantoins, 851
Hydrated spinel-filled acrylonitrile–butadiene–styrene (ABS) terpolymer, 1483
Hydration, 511
Hydrogels, 1553, 1869, 2055
Hydrogenation, 375, 1971
Hydrolysis, 2221
Hydrolysis resistance, 229
Hydrophobic gels, 2075
Hydrothermal annealing, 1491
Hydroxy-terminated polybutadiene (HTPB) liquid prepolymers, 435
Hytrel composites, 1081
Hytrel elastomer, 1081

Impact strength, 425
Implantation conditions, 1299
In situ compatibilization, 913
In vitro blood compatibility, 815
Infrared (IR) spectrophotometry, 375
Infrared (FTIR) spectroscopy, 219
Infrared (IR) spectroscopy, 1547, 2189
Infrared microimaging, 275
Infrared microspectroscopy, 275
Infrared vibrational spectra, 1071
Initiation processes, 435
Initiator concentration, 81
Injection molding, 1259
Integral distribution functions, 1265
Integrated circuits (IC) packages, 331
Interaction, 425
Interface layer, 679
Interface separation, 573
Interfacial energy, 417
Interfacial polycondensation, 1
Interfacial surface area, 425
Interfacial tension, 839
Intermolecular H-bonding, 1865
Internal stresses, 609
Interpenetrating polymer networks (IPNs), 1013, 2229
Interphase, 197
Interphase domains, 151
Intramolecular phase separation, 1211
Inverse gas chromatography (IGC), 183

In situ compatibilization, 1145
Ion implantation, 1299, 1939
Ionic bonds, 777
Ionization radiation, 1291
Ionomer, 2025
Ionotropic crosslinking, 2075
IR (FTIR) spectroscopy, 361
Irradiation temperature, 1799
Irreversible thermodynamics, 877
Isothermal crystallization data, 1395
Isothermal curing, 1441
Isothermal kinetic data, 219
Izod impact test, 1065

Jute fibers, 25

Kelen–Tüdõs method, 823, 991
Kinetics, 319, 1441, 2003, 2235

Laminates, 1537
Langmuir probe measurements, 117
Lap shear adhesion, 1145
Latex agglomeration, 1415
Latex dispersions, 1509
Latex(es), 103, 1415
Lattices, 187
Layer formation in films, 1683
Lennard-Jones potential function, 1931
Lickens–Nickerson extracts, 1159
Light microscopy, 381
Light-scattering detectors, 1359, 1375
Light-scattering equation, 1375
Lignin, 935
Lignocellulosic materials, 935
Linseed oil-free fatty acids, 1123
Lipoprotein lipase (LPL) immobilization, 2121
Liquid absorption, 2115
Liquid crystal phase formation, 1671
Liquid crystalline behavior, 391
Liquid crystalline domains, 125
Liquid crystals (LCs), 1769
Liquid extraction distribution coefficient behavior, 657
Liquid-induced crystallization, 2115
Low molecular weight Guayule rubber (LMWGR), 1963
Low-angle laser light scattering photometer (LALLS), 1359
Low-pressure semibatch polycondensation, 747
Lubricants, 711

Macroemulsions, 633
Macropores, 501
Maillard reactions, 1683
Maleinization, 1963
MAN grafting, 593
Mark–Houwink parameters, 1189
Master curve, 885
Masterbatch technique, 381
Matrix erosion, 2075
Matrix–fiber interphase, 1595
Meadowfoam (*Limnanthes*), 1619
Mean stress, 53
Mechanical properties, 1331
Melt spinning, 1759
Melt viscosity, 97
Melting, 1175
Melting endotherm, 1223
Melting of, 7
Membranes, 209, 539, 565, 2081
Metal ions, 727
Metal sheets, 1471
Metal-containing polyureas, 405
Metallic gold extraction, 1635
Metals, 2051
Microphase segregation, 523
Microporous membrane, 799
Microporous sheets, 143
Microviscosity, 1865
Mid-infrared (MIR) spectroscopy, 219
Miniemulsions, 633
Miscibility, 7
MMA-acrylate copolymerization, 2179
Mode of filler addition, 1115
Modified polymer (MP), 1529
Molecular orientation measurement, 609
Molecular properties, 1331
Molecular weight distribution (MWD), 299, 435, 1189, 1353
Monomolecular condensation, 1353
Monsanto Processability Tester (MPT), 1475
Multiangle laser light-scattering photometer (MALLS), 1359, 1375
Multifunctional epoxy resins, 1751
Multistage melt polycondensation, 747

Native celluloses, 1491
"Natural" cosmetics, 461
Natural rubber (NR), 375, 807, 901, 2229
Natural rubber latex, 2009
Near infrared region, 169
Near-infrared (NIR) spectroscopy, 219
Near-UV resists, 893
Nernst adsorption mechanism, 1647
Newtonian fluid, 1759
Nielsen's model, 1901
Nominal draw ratio, 15
Nonlinear viscoelasticity, 733
Nonlinear viscoplasticity, 1589
Nonpigmented coatings, 345
Nonsolvent penetration, 1877
Notched Izod impact toughness, 673
Novel cation-exchange composites, 291
Novolac epoxy resins, 1921
NPM content, 91
NR–EVA blends, 901
Nuclear magnetic resonance spectroscopy (NMR), 1963
Nucleating agent, 623
Numerical simulation(s), 1759, 1845
Nylon 4 membranes, 1197
Nylon 6–clay hybrids, 1259

Of a copper surface, 1957
Of Guayule rubber, 1963
Off-line electron microscopy, 487
Olefinic bonds, 1971
Olefins, 1573, 1695, 1709
Optical anisotropy, 1277
Optical communications, 169

Optical falling needle rheometer, 97
Optical fibers, 835
Optical microscopy, 885
Organic semiconducting metal-anthraquinones, 2171
Oxidative stabilization, 2207
Oxygen permeability, 1869
Ozonation, 361

PA-6, 1175
PA-66, 1175
PAE-cell polymers, 975
Pancake sample, 2197
PANI composite films, 1639
Particle concentration, 673
Particle growth, 633
Particle nucleation, 633
Particle size, 673
Partition model of Berated, 299
Penetrant diffusion, 1845
Penetrant transport, 1845
Percolation theory, 617
Permeability, 799, 2081
Permittivity, 1725
Peroxide modification, 785
Pervaporation, 209
PET short fiber-polyester thermoplastic elastomer (Hytrel) composites, 1081
PET yarns, 925
Phase behavior, 1211, 1265
Phase relation, 1047
Phase separation, 1003
Phase-separation behavior, 1509
PHB/straw fiber molecular interactions, 2091
Phenol–formaldehyde (PF) resins, 2157
Photoconductivity, 679
Photocross-linking, 1799
Photograft-polymerization, 417
Photoinduced graft-copolymerization, 1423
Photoinitiator(s), 657, 2019
Photopolymerization, 125
Pigmented coatings, 345, 1509
Plasma emission spectroscopy, 117
Plasma polymer films, 39
Plasma polymerization, 39
Plasma polymers, 701
Plastizicers, 1725
Polarizing light microscopy, 391
Polarizing microscopy, 125
Poly(ethylene terephthalate) (PET), 777
Poly(*ortho*-ester) networks, 2221
Poly(vinyl chloride) (PVC) compositions, 1725
Polyacrylonitrile (PAN) fibers, 469
Polyamides, 1733
Polyaniline, 397
Polycondensation, 747
Polydimethylsiloxane (PDMS) critical chain length, 1497
Polyester fiber alkaline hydrolysis, 175
Polyesters, thermophysical properties, 559
Polyester–sulfur compositions, 1615
Polyethylene (HMWPE), 15
Polyethylene terephthalate (PET) ultrathin films, 2137
PolyHEMA beads, 2041
Polyimide composite membranes, 565
Polymer inherent viscosity, 501
Polymer melt viscosity, 97
Polymer melts, 299, 1809
Polymer optical fiber (POF), 169
Polymer rheology, 299
Polymer surface wettability, 2147
Polymeric foams, 1453
Polymeric matrices, 2235
Polymerizable surfactant, 1453
Polymerization initiator, 1055
Polymerization-blending method, 1241
Polymer/LC composite film, 1769
Polymer–solvent interaction, 1877
Polymer-thickened water-in-oil emulsions, 65
Polyolefin films, 1619
Polypropylene filaments, 623
Polypropylene (PP) pellets, 1159
Polypropylene (PP)–carbon black interaction, 1659
Polypropylene sheets, 143
Polypropylene-injected disks, 609
Polypropylene-laminated films, 711
Polysulfone hollow fiber membranes, 539
Polytetrafluoroethylene (PTFE) polymer sheet, 2051
Polythioesters, 1
Polyureas, 405
Polyurethane (PU) elastomers, 1013
Polyurethane networks, 2055
Polyvinyl alcohol (PVA) beads, 2121
Positive photoresist, 893
Positron annihilation lifetime (PAL) technique, 1921
Powder-filled epoxy composites, 1901
PPE/epoxy interpenetrating network, 1537
PPE/epoxy laminates, 1537
Precuring, 549
Processing behavior, 299
Process-zone evolution, 885
Process-zone kinetics, 877
Pulp fiber, 361
PVC primary particles, 445
Pyrrole (PY), conductivity, 2189
Pyrrole (PY), thermal stability, 2189

Quaternary ammonium resin, 1019, 1431

Radiation-damaged polymers, 1939
Radiation-induced grafting, 599
Radical polymerization, 125
Radio protecting agents (RPA), 1979
Rate constant of material degradation (RCMD), 863
Rate expression, 1107
Reactive diluent level, 1943
Reactive fiber, 1635
Recrystallization, 1175
Redox initiators, 823
Remote dc discharge plasma treatment, 117

Remote downstream reactor, 1857
Renewable resources, 337
Resinous wood surfaces, 1251
Resin(s), 461, 1431, 1751, 2157
Rheo-optical infrared spectroscopy, 925
Rigid polymer membranes, 2081
Rubber phase, 425
Rubber-toughened blends, 53

Scanning electron microscopy (SEM), 25, 657, 1003, 1547, 1791
Scanning electron microscopy/energy dispersive spectroscopy (SEM/EDS), 523
Schiff's reagent, 1251
Screw extrusion, 1003
Self-crosslinkable plastic–rubber blend, 133
Semiconductors, 2171
Semicontinuous emulsion copolymerization, 2029
Semicontinuous miniemulsion terpolymerization, 81
Semipermeable membranes, 1683
Semi-interpenetrating polymer networks (semi-IPN), 2105
Separation technology, 143
Sequence distribution, 991
Sequential polymerizations, 1573
Shear modified morphology, 487
Shear rate, 1791
Shear stress, 839, 1589
Shear viscosity, 1777
Sheets injection, 1159
Shellac film coating, 1471
Short carbon fiber reinforcement, 263
Short carbon fiber-reinforced thermoplastic elastomers, 1475
Short fiber reinforcement, 1081
Short fiber–styrenic block copolymer composites, 573
Short-fiber reinforcement, 197
Silane coupling agents, 417
Silica filler, 901
Silica particles, 331
Silicone, 1041
Silk fibers, 593, 1565, 1835
Single-edge notched specimens, 1909
Size exclusion chromatography (SEC), 925, 1189, 1359, 1375
Skin formation in films, 1683
Slip agents, 1619
Slip-reducing mechanism, 711
Small angle X-ray scattering (SAXS), 487
Small-angle light scattering (SALS), 125, 1799
Soft-segment crystallization, 1943
Soft-segment molecular weight, 1943
Solids content, 81
65 wt % solids content latex, 81
Solid-state polymerization, 1093
Solubility, 183
Solution casting, 1003
Solution copolymerization, 1695, 1709
Solvent-resistant composite membranes, 565
Solvents, 741, 953
Sorption, 247, 1259, 2065
Spherical particles, 2041
Spin probes, 1877
Spin-coated polyimide films, 1277
Spinel-filled acrylonitrile–butadiene–styrene (ABS) terpolymer, 1483
Stabilizer, 1309
Starch–synthetic polymer composites, 1679
Steady-state conductivity, 2137
Stereospecific absorption, 823
Steric stabilization, 445
Storage modulus, 785
Strain-coupling constitutive equation, 733
Strain-stress relaxation experiments, 733
Stress, 1809
Stress displacement field, 2197
Stress relaxation, 885
Stress rheometer, 487
Stress transfer, 263
Stress-intensity factor, 1065
Stress–strain cycles, 573
Stretching degree, 143
Styrene butadiene rubber (SBR) vulcanizates, 1123
Styrene-isoprene-styrene triblock copolymer (SIS), 1971
Sub-T_m transitions, 1223
Sulfur dioxide-based copolymers, 1233
Supercritical fluid (SCF) solvents, 953
Surface, 701
Surface barrier conditions, 1205
Surface energy, 1299
Surface graft polymerization, 1041
Surface modification, 117, 361, 1857, 1939
Surfactant(s), 1107, 1453
Suspension copolymerization, 2041
Suspension polymerization, 913
Swelling, 39, 2147
Swelling behavior, 1553
Synthesis using phosphorus and metals, 777
Synthetic pulp fiber, 361

Tensile strength, 1595, 1615
Tension–tension fatigue, 1909
Tertiary amines, 1019
Test frequency, 53
Thermal analysis, 1223
Thermal *cis–trans* isomerization, 2235
Thermal conductivities, 1901
Thermal conductivity, 1625
Thermal cross-linking, 1277
Thermal degradation, 1233, 1303
Thermal stability, 405, 1233, 1603, 2129
Thermal stress assessment, 609
Thermogravimetric Analysis (TGA), 523, 1565, 1603, 1751, 2019
Thermomechanical analysis (TMA), 1565
Thermooxidation stability, 1887
Thermoplastic matrix, 839
Thermoplastics, 2105
Thermotropic liquid crystalline polyesters (LCPs), 391
Thermotropic liquid crystalline polymer (TLCP), 839
Tobin model, 1395
Toluene Sulfonamide

Formaldehyde Resins (TSFR), 461
Toughening, 673
Trans → *gauche* transitions, 925
Transesterification reaction, 1093
Transient conductivity, 2137
Transient fluorescence technique, 151
Transport, 247, 257, 2065
Two-phase elastomer–plastic blends, 1893

Ultrasonic pulse-echo technique, 1291
Ultraviolet (UV) microscopy, 381
Unmodified precursors, 469
Uranium recovery from sea water, 599
Urea-formaldehyde-bonded wood, 229
UV-curable acrylates, 1943
UV-cured epoxyacrylate coatings, 835

Vaporization, 747, 1825
VCM suspension, 445
Vectra B950, 839
Viscoplastic constitutive equation, 1809
Viscosity-chain length relationship, 1497
Viscosity-index modifiers, 65
Viscosity–morphology–compatibility, 1791
Void production, 2197
Volatile compounds, 1159
Volume restriction flocculation (VRF), 1509
Volume-average diameter, 187
Vulcanization, 1893, 2009

Waste-water treatment, 1197
Water permeation, 1259
Water repellency, 701
Water–ethanol mixtures, 209
Water–ethanol separation, 565
Water-in-oil emulsions, 65
Wettability, 1251
Wheat straw fibers, 2091
Wood adhesives, 337
Wood plastic composites (WPC), 1547, 1989
Wood pulp(s), 935, 1603

X-ray diffraction analysis, 741
X-ray diffractometry, 1491
X-ray microradiography, 381
X-ray photoelectron (ESCA) spectroscopy, 361
X-ray photoelectron spectra (XPS) surface analysis, 701
X-ray photoelectron spectroscopy (XPS), 1857
X-ray spectrometry, 125

Yarns, 925
Yield stress, 65

Journal of Applied Polymer Science

Author Index to Volume 49

Abd El-Hakim, A. A. See Hilal, A. S., 559
Abhiraman, A. S. See Bhat, G. S., 2207
Abo-Shosha, M. H. See Ibrahim, N. A., 291
Abousehly, A. M. See Hilal, A. S., 559
Adnot, A. See Chtourou, H., 361
Agari, Y.
—; Ueda, A.; Nagai, S.: Thermal Conductivity of a Polymer Composite, 1625
Agarwal, S. See Choudhary, V., 1751
Ali, K. M. I. See Khan, M. A., 1989
Al-Kobtan, A. F. See Younan, A. F., 1123
Alwan, S. See Ramarao, M., 435
Antony, R.
—; Pillai, C. K. S.: Synthesis and Thermal Characterization of Chemically Modified Cardanol Polymers, 2129
Arends, C. B.: On the Applicability of the Lennard-Jones Potential Function to Amorphous High Polymers, 1931
Arvanitoyannis, I.
—; Tsatsaroni, E.; Psomiadou, E.; Blanshard, J. M. V.: Interaction of Dyes Used for Foods with Food Packaging Polyamides, 1733
Ashida, M.
—; Guo, W.: The Mechanical Properties of Short-Fiber-Styrenic Block Copolymer Composites, 573
—; See Guo, W., 1081
Asua, J. M. See Unzué, M. J., 81
Athalye, A. R. See Shukla, S. R., 1423, 2019
Avasthi, B. N. See Bhattacharjee, S., 1971
Avella, M.
—; Martuscelli, E.; Pascucci, B.; Raimo, M.; Focher, B.; Marzetti, A.: A New Class of Biodegradable Materials: Poly-3-hydroxy-butyrate/Steam Exploded Straw Fiber Composites, I. Thermal and Impact Behaviour, 2091

Badran, A. S.
—; Ramadan, A. M.; Moustafa, A. B.; Shaffei, K. A.: Effect of Some Sodium Bisulfite Adducts of Different Chain Lengths on the Course of the Emulsion Polymerization of Vinyl Acetate, 187
Badran, B. M. See Younan, A. F., 1123
Bahl, O. P. See Mathur, R. B., 469
Bajaj, P.
—; Paliqal, D. K.; Gupta, A. K.: Acrylonitrile-Acrylic Acids Copolymers. I. Synthesis and Characterization, 823
Balasubramanian, K. See Walker, D. S., 2147
Balke, S. T. See Jeng, L., 1359, 1375
Basu, S.
—; Chatterjee, N.; Maiti, M. M.: Thermal Degradation of Polydigolphosphate, 1303
Basu, S. C. See Khan, M. A., 1547
Bauer, R. S. See He, M., 345
Behnisch, J.
—; Holländer, A.; Zimmermann, H.: Surface Modification of Polyethylene by Remote dc Discharge Plasma Treatment, 117
—; See Holländer, A., 1857
Bell, J. P. See Iroh, J. O., 583
Beltrame, P. L.
—; Paglia, E. D.; Castelli, A.; Tantardini, G. F.; Seves, A.; Marcandalli, B.: Thermal *Cis–Trans* Isomerization of Azo Dyes in Poly(methyl methacrylate) Matrix: A Kinetic Study (Note), 2235
Benrashid, R.
—; Nelson, G. L.; Linn, J. H.; Hanley, K. H.; Wade, W. R.: Surface Characterization of Segmented Siloxane–Urethane Block Copolymers, 523
Bertilsson, H. See Gatenholm, P., 197
Bertoluzza, A. See Tsukada, M., 1565, 1835
Beswick, G. T. See Slavin, S. E., 1065
Bhadani, S. N.
—; Gupta, M. K.; Sen Gupta, S. K.: Cyclic Voltammetry and Conductivity Investigations of Polyaniline, 397
—; Kumari, M.; Sen Gupta, S. K.: Shellac Film Coating on Metal Sheets by Electrochemical Polymerization, 1471
Bhaduri, S. K. See Kundu, S. K., 25
Bharel, R.
—; Choudhary, V.; Varma, I. K.: Thermal and Mechanical Properties of Copolymers of Methyl Methacrylate with *N*-Phenyl Maleimide, 31

Bhat, G. S.
—; Peebles, L. H., Jr.; Abhiraman, A. S.; Cook, F. L.: Rapid Stabilization of Acrylic Fibers Using Ammonia: Effect on Structure and Morphology, 2207
Bhatia, G. S. See Lin, F., 1901
Bhattacharjee, S.
—; Rajagopalan, P.; Bhowmick, A. K.; Avasthi, B. N.: Selective Hydrogenation of Olefinic Bonds in Styrene–Isoprene–Styrene Triblock Copolymer by Palladium Acetate, 1971
—; See Roy, S., 375
Bhowmick, A. K.
—; Inoue, T.: Structure Development during Dynamic Vulcanization of Hydrogenated Nitrile Rubber/Nylon Blends, 1893
—; See Bhattacharjee, S., 1971; See Roy, D., 263; See Santra, R. N., 1145
Bidstrup, S. A. See Lin, L., 1277
Biswas, M.
—; Roy, A.: Thermal Stability, Morphological, Dielectric, and Conductivity Characteristics of Pyrrole Modified Poly-*N*-Vinyl Carbazole, 2189
Blanshard, J. M. V. See Arvanitoyannis, I., 1733
Blatz, P. J.
—; Kakavas, P.: A Geometric Determination of Void Production in an Elastic Pancake, 2197
Bonnetot, B. See Chabanne, P., 685
Borisov, G. See Troev, K., 777
Bosnyak, C. P. See Chen, T.-J., 1909; See Kim, A., 877, 885
Braun, H.
—; Gleinser, W.; Cantow, H.-J.: Flow Behavior of Symmetrical P(S-*b*-MMA) Block Copolymers: Rheological Problems Arising from Shear Modified Morphology, 487
Bremner, T.
—; Rudin, A.: Peroxide Modification of Linear Low-Density Polyethylene: A Comparison of Dialkyl Peroxides, 785
Bromberg, L.
—; Levin, G.: Dialkyldithiophosphate Substituted on Poly(Vinylchloride): Synthesis and Performance, 1529
—; See Levin, G., 1865
Brouns, H. M. G. See Schoonbrood, H. A. S., 2029
Bualek, S.
—; Ikeda, Y.; Kohjiya, S.; Phaovibul, O.; Phinyocheep, P.; Suchiva, K.; Utani, K.; Yamashita, S.: Natural Rubber and Butadiene Rubber Blend Using Diblock Copolymer of Isoprene–Butadiene as Compatibilizer, 807
Budinski-Simendic, J. See Petrovic, Z. S., 1659
Burg, D. A. See Swanson, C. L., 1619
Burkinshaw, S. M. See Kim, J. P., 1647
Burns, C. M. See Kim, W.-N., 1003
Buruiană, E. C. See Robilă, G., 2025
Buruiană, T. See Robilă, G., 2025
Bussink, J. See Matisová-Rychlá, L., 1887

Cantow, H.-J. See Braun, H., 487
Cao, J.: Numerical Simulations of Draw Resonance in Melt Spinning of Polymer Fluids, 1759
Carter, R. O., III See Theodore, A. N., 1071
Castelli, A. See Beltrame, P. L., 2235
Cha, W.-I. See Hayashi, T., 2121
Chabanne, P.
—; Tighzert, L.; Pascault, J.-P.; Bonnetot, B.: Epoxy Polymerization Initiated by BF_3–Amine Complexes. I. Synthesis and Characterization of BF_3–Amine Complexes and BF_3–Amine Complexes Dissolved in γ-Butyrolactone, 685
Chanda, M. See Khanna, U., 319
Chandrasekharan, G. See Ramarao, M., 435
Chang, F.-C. See Maa, C.-T., 913
Chao, H. S.-I.
—; Whalen, J. M.: Preparation of Poly(2,6-Dimethyl-1,4-Phenylene Ether) (PPE)/Epoxy Laminate With Functionalized PPE Resin, 1537
Chatterjee, N. See Basu, S., 1303
Chehimi, M. M. See Pigois-Landureau, E., 183
Chen, C. M.
—; Ray, W. H.: Polymerization of Olefins Through Heterogeneous Catalysis XI: Gas Phase Sequential Polymerization Kinetics, 1573
Chen, H.-Z.
—; Wang, M.; Feng, L.-X.; Yang, S.-L.: Synthesis and Photoconductivity Study of Phthalocyanine Polymers. III. PVK–CuPc$(NO_2)_2$, 679
Chen, K. M. See Hwang, M. C., 975
Chen, L. W. See Wang, Y. Z., 1047
Chen, M. H. See Lai, J. Y., 1197
Chen, M. J. See Meister, J. J., 935
Chen, T.-J.
—; Bosnyak, C. P.; Chudnovsky, A.: A Fatigue Crack Initiation Map for Polycarbonate, 1909

Chen, Y.
—; Yu, D.-H.: Poly(N^5-benzyl-L-glutamine)-Coated Silica Gels as Chiral Stationary Phase for Direct Resolution of Hydantoins, 851
Chen, Y.-H. See Yang, C.-P., 1031
Cheung, H. M. See Palani, Raj, W. R., 1453
Chiang, W.-Y.
—; Lu, J.-Y.: Preparation and Properties of Si-Containing Copolymer for Near-UV Resist. III. Maleimide/Silylstyrene Copolymer, 893
Chiu, W.-Y. See Chu, L.-H., 1791
Chiva, V.
—; Lecacheur, M.; Faure, R.; Gallo, R.; Wimmer, E.: Structure of Toluene Sulfonamide Formol Resins: Molecular Models from Mechanistic Schemes and Analytical Results, 461
Cho, D. L. See Gölander, C-G., 39
Cho, S. J. See Kim, D. Y., 719
Cho, W. J. See Kim, D. Y., 719
Chodák, I. See Matisová-Rychlá, L., 1887
Choi, K. Y. See Kim, Y., 747
Chou, L.-C. See Lee, Y.-L., 1013
Choudhary, L.
—; Varma, D. S.; Wang, F. W.; Choudhary, V.; Varma, I. K.: Copolymerization of *N*-Phenyl Maleimide and γ-Methacryloxypropyl Trimethoxysilane, 91
Choudhary, V.
—; Agarwal, S.; Varma, I. K.: Multifunctional Epoxy Resins, 1751
—; See Bharel, R., 31; See Choudhary, L., 91
Chtourou, H.
—; Riedl, B.; Kokta, B. V.; Adnot, A.; Kaliaguine, S.: Synthetic Pulp Fiber Ozonation: An ESCA and FTIR Study, 361
Chu, B.
—; Wang, J.; Tuminello, W. H.: Fast Determination of Polymer Melt Viscosity by Optical Falling Needle Viscometer, 97
Chu, L.-H.
—; Guo, S.-H.; Chiu, W.-Y.; Tseng, H.-C.: Viscosity–Morphology–Compatibility Relationship of Polymer Blends, 1791
Chudnovsky, A. See Chen, T.-J., 1909; See Kadota, K., 863; See Kim, A., 877, 885
Chum, S. See Kadota, K., 863
Conner, A. H. See Holfinger, M. S., 337
Cook, F. L. See Phat, G. S., 2207
Cooper, S. L. See Yu, X., 1943
Costa, G. See Morisato, A., 2065
Cousin, P.
—; Magdzinski, L.: Characterization of Spinel and Hydrated Spinel-Filled ABS: Antioxidant Effect and Strength Properties, 1483
Covert, K. L.
—; Russell, D. J.: Distribution of Onium Salt Photoinitiators in a Two-Phase Epoxy System, 657
Crevecoeur, G.
—; Groeninckx, G.: Fibril Formation in *In Situ* Composites of a Thermotropic Liquid Crystalline Polymer in a Thermoplastic Matrix, 839

Das, H. K.
—; Singh, B. C.: Effect of Toluene on the Polymerization of AN Initiated by Ce(IV)–Sucrose Redox System in the Presence of Surfactants, 1107
Davé, V.
—; Frazier, C. E.; Glasser, W. G.: Novel Cellulose Derivatives. I. Liquid Crystal Phase Formation in Tri-*O*-α-Naphthylmethyl Cellulose Solutions, 1671
De, P. P. See Manoj, N. R., 133
De, S. K. See Manoj, N. R., 133; See Roy, D., 263
Delbarre, P.
—; Jasse, B.; Pabiot, J.; Rietsch, F.: Experimental Measurement of Internal Stresses in Polypropylene-Injected Disks, 609
Demir, Y. See Pekcan, Ö., 1877
Deopura, B. L. See Gupta, A. K., 477
Dessouky, M. T. See Hilal, A. S., 559
Divjakovic, V. See Petrovic, Z. S., 1659
Dorogy, W. E., Jr.
—; St. Clair, A. K.: Fibers from a Soluble, Fluorinated Polyimide, 501
Duncan, I. A. See Louden, J. D., 275
Dvornic, P. R.
—; Jovanovic, J. D.; Govedarica, M. N.: On the Critical Molecular Chain Length of Polydimethylsiloxane, 1497

Ebewele, R. O.
—; River, B. H.; Myers, G. E.: Polyamine-Modified Urea–Formaldehyde-Bonded Wood Joints. III. Fracture Toughness and Cyclic Stress and Hydrolysis Resistance, 229
Egawa, H. See Kabay, N., 599
Endršt, R. See Švorcčík, V., 1939
Etiévant, P. See Rebeyrolle-Bernard, P., 1159
Etters, J. N.: Statistical Estimation of Diffusion Coefficients under Finite Bath, Surface Barrier Conditions, 1205

Faassen, W. A. See Van Den Heuvel, C. J. M., 925
Fanta, G. F.
—; Trimnell, D.; Salch, J. H.: Graft Polymerization of

Methyl Acrylate–Vinyl Acetate Mixtures onto Starch, 1679
—; See Swanson, C. L., 1683
Faure, R. See Chiva, V., 461
Feng, L.-X. See Chen, H.-Z., 679
Feyder, G. See Thielen, A., 2137
Focher, B. See Avella, M., 2091
Fontenot, K.
—; Schork, F. J.: Batch Polymerization of Methyl Methacrylate in Mini/Macroemulsions, 633
Ford, J. D. See Lin, F., 1901
Frazier, C. E. See Davé, V., 1671
Freddi, G. See Tsukada, M., 593, 1565, 1835
Freeman, B. D. See Morisato, A., 2065
Freij-Larsson, C.
—; Kober, M.; Wesslén, B.; Willquist, E.; Tengvall, P.: Effects of a Polymeric Additive in a Biomedical Poly(ether urethaneurea), 815
Friends, G.
—; Künzler, J.; McGee, J.; Ozark, R.: Hydrogels Based on Copolymers of *N*-(2-Hydroxyethyl)methacrylamide, 2-Hydroxyethyl Methacrylate, and 4-*t*-Butyl-2-hydroxycyclohexyl Methacrylate, 1869
Fu, J. H.
—; Schlup, J. R.: Mid- and Near-Infrared Spectroscopic Investigations of Reactions between Phenyl Glycidyl Ether (PGE) and Aromatic Amines, 219
Fu, Q.
—; Wang, G.: Effect of Morphology on Brittle–Ductile Transition of HDPE/$CaCO_3$ Blends, 1985
—; Wang, G.; Shen, J.: Polyethylene Toughened by $CaCO_3$ Particle: Brittle–Ductile Transition of $CaCO_3$-Toughened HDPE, 673
Fujii, N. See Kobayashi, T., 417

Gad, E. A. M. See Saad, A. L. G., 1725
Gallo, R. See Chiva, V., 461
Galy, J. See Georjon, O., 1441
Gao, J.: Kinetics of Epoxy Resins Formation from Bisphenol-A, Tetrabromobisphenol-A, and Epichlorohydrin, 2003
Garrett, L. V. See Kim, A., 877, 885
Gatenholm, P.
—; Bertilsson, H.; Mathiasson, A.: The Effect of Chemical Composition of Interphase on Dispersion of Cellulose Fibers in Polymers. I. PVC-Coated Cellulose in Polystyrene, 197
Geil, P. H. See Rybnikar, F., 1175
George, K. E. See Suma, N., 549
Georjon, O.
—; Galy, J.; Pascault, J.-P.: Isothermal Curing of an Uncatalyzed Dicyanate Ester Monomer: Kinetics and Modeling, 1441
German, A. L. See Schoonbrood, H. A. S., 2029
Gjurova, K. M. See Karaivanova, M. S., 159
Glass, J. E. See Ma, Z., 1509
Glasser, W. G. See Davé, V., 1671
Gleinser, W. See Braun, H., 487
Go, J. H. See Kim, J. K., 1777
Gohshi, Y. See Nishioka, T., 711
Gölander, C-G.
—; Rutland, M. W.; Cho, D. L.; Johansson, A.; Ringblom, H.; Jönsson, S.; Yasuda, H. K.: Structure and Surface Properties of Diaminocyclohexane Plasma Polymer Films, 39
Gopala Rao, G. V. See Shukla, S. R., 1423
Gorbunov, A. I. See Philippov, G. G., 1589
Govedarica, M. N. See Dvornic, P. R., 1497
Grady, B. P. See Yu, X., 1943
Grainger, D. W. See Yu, H., 1553
Grancarić, A. M.
—; Kallay, N.: Kinetics of Polyester Fiber Alkaline Hydrolysis: Effect of Temperature and Cationic Surfactants, 175
Gref, R.
—; Nguyen, Q. T.; Schaetzel, P.; Néel, J.: Transport Properties of Poly(vinyl alcohol) Membranes of Different Degrees of Crystallinity. I. Pervaporation Results, 209
Grisafi, S.: Bead-Spring Polymer Melts, 1809
Groeninckx, G. See Crevecoeur, G., 839
Grosso, A. See Morisato, A., 2065
Grozeva, A. T. See Troev, K., 777
Guo, S.-H. See Chu, L.-H., 1791
Guo, W.
—; Ashida, M.: Mechanical Properties of PET Short Fiber–Polyester Thermoplastic Elastomer Composites, 1081
—; See Ashida, M., 573
Gupta, A. K.
—; Rana, S. K.; Deopura, B. L.: Flexural and Impact Properties of High-Density Polyethylene/Linear Low-Density Polyethylene Blend, 477
—; See Bajaj, P., 823
Gupta, B. R. See Roy, D., 1475; See Roy, S., 375
Gupta, M. K. See Bhadani, S. N., 397
Gupta, R. K. See Saraf, M. N., 1131

Ha, C. S. See Kim, D. Y., 719
Hamielec, A. See Kiparissides, C., 445
Han, M. H. See Kim, J. K., 1777

Han, S. H. See Kim, K. J., 7
Hanes, M. D.
—; Lando, J. B.: Thermal Analysis of Poly(vinyl fluoride), 1223
Hanley, K. H. See Benrashid, R., 523
Hanmin, Z. See Weiping, L., 1635
Harun, M. G.
—; Kassim, R. F. M.: Study of Thermal Properties and Morphology of Interpenetrating Polymer Networks from Natural Rubber and Polyacrylamide (Note), 2229
Hasegawa, A. See Yamauchi, T., 1653
Hassan, A. M. See Saad, A. L. G., 1725
Hayashi, H.
—; Matsuzawa, S.: Vaporization Behavior of Antioxidant Additive BHT in Polypropylene by Heating, 1825
—; Nakata, S.; Kakimoto, M.; Imai, Y.: Polymerization Blending for Compatible Poly(ether sulfone)/Aramid Blend Based on Polycondensation of a *N*-Silylated Aromatic Diamine with an Aromatic Diacid Chloride in Poly(ether sulfone) Solution, 1241
Hayashi, T.
—; Hyon, S.-H.; Cha, W.-I.; Ikada, Y.: Lipoprotein Lipase Immobilization Onto Porous Polyvinyl Alcohol Beads, 2121
He, D.
—; Jiang, B.: The Elastic Modulus of Filled Polymer Composites, 617
He, M.
—; Urban, M. W.; Bauer, R. S.: Exudation Processes in Hydrogenated Bisphenol-A-Based Epoxy Coatings: Spectroscopic Study, 345
Hensema, E. R.
—; Mulder, M. H. V.; Smolders, C. A.: On the Mechanism of Gas Transport in Rigid Polymer Membranes, 2081
Heuvel, H. M. See Van Den Heuvel, C. J. M., 925
Higazy, A. A. See Zahran, R. R., 1291
Hilal, A. S.
—; Abousehly, A. M.; Dessouky, M. T.; Abd El-Hakim, A. A.: Measurement of Thermophysical Properties of Polyester Cured with Styrene in the Range 300–450 K, 559
Hill, C. G., Jr. See Holfinger, M. S., 337
Hjertberg, T. See Rogestedt, M., 1055; See Strålin, A., 511
Hnatowicz, V. See Švorčík, V., 1299, 1939
Holfinger, M. S.
—; Conner, A. H.; Lorenz, L. F.; Hill, C. G., Jr.: Difurfuryl Diisocyanates: New Adhesives Derived from Renewable Resources, 337
Holländer, A.
—; Behnisch, J.; Zimmermann, H.: Surface Modification of Poly(Ethylene) in an *rf* Downstream Remote Plasma Reactor, 1857
—; See Behnisch, J., 117
Holsti-Miettinen, R. M. See Ikkala, O. T., 1165
Hopfenberg, H. B. See Morisato, A., 2065
Horák, D.
—; Lednický, F.; Řehák, V.; Švec, F.: Porous PolyHEMA Beads Prepared by Suspension Polymerization in Aqueous Medium, 2041
Hsieh, K. H. See Wang, Y. Z., 1047
Hsu, K. Y. See Lai, J. Y., 1197
Huang, Y. See Jiang, S. H., 125
Hudec, I.
—; Sain, M. M.; Šúňová, V.: Improved Interaction Effected by Maleic Anhydride-Grafted Polypropylene in PRP Triblock Polymer–EVA Blend, 425
Hwang, M. C.
—; Chen, K. M.: Removal of Colour From Effluents Using Polyamide–Epichlorohydrin-Cellulose Polymer. II. Use in Acid Dye Removal, 975
Hyon, S.-H. See Hayashi, T., 2121

Ibarra, L.: The Effect of a Diazide as Adhesion Agent on Composite Materials Consisting of an Elastomeric Matrix and Short Polyester Fiber, 1595
Ibrahim, N. A.
—; Abo-Shosha, M. H.: Novel Cation-Exchange Composites Resulting from Polymerization/Cross-Linking of Acrylic Acid/*N*-Methylolacrylamide Mixtures with Cellulose, 291
Idriss Ali, K. M. See Khan, M. A., 1547
Ikada, Y. See Hayashi, T., 2121; See Bualek, S., 807
Ikkala, O. T.
—; Holsti-Miettinen, R. M.; Seppälä, J.: Effects of Compatibilization on Fractionated Crystallization of PA6/PP Blends, 1165
Imai, Y. See Hayashi, H., 1241
Inoue, T. See Bhowmick, A. K., 1893
Iroh, J. O.
—; Bell, J. P.; Scola, D. A.: Rate of Electropolymerization of N,N'Dimethyl Acrylamide in Aqueous Sulfuric Acid Solution, 583
Ishida, H. See Jang, J., 1957
Isozaki, S. See Iwata, H., 1041
Ito, Y. See Suzuki, T., 1921
Ivănoiu, M. See Robilă, G., 2025
Iwata, H.
—; Isozaki, S.: Surface Graft

Polymerization onto Silicone, 1041

Jaber, I.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XII. The Influence of Hydrogen in the Solution Copolymerization of Ethylene, 1695
Jaber, I. A.
—; Ray, W. H.: Polymerization of Olefins through Heterogeneous Catalysis. XIII. The influence of Comonomer in the Solution Copolymerization of Ethylene, 1709
Jang, J.
—; Ishida, H.: Silane-Modified Polyvinylimidazole (1) for Corrosion Protection on Copper at Elevated Temperatures, 1957
Jasse, B. See Delbarre, P., 609
Jeng, L.
—; Balke, S. T.: Evaluation of Light-Scattering Detectors for Size Exclusion Chromatography. II. Light-Scattering Equation Selection, 1375
—; Balke, S. T.; Mourey, T. H.; Wheeler, L.; Romeo, P.: Evaluation of Light-Scattering Detectors for Size Exclusion Chromatography. I. Instrument Precision and Accuracy, 1359
Jiang, B. See He, D., 617
Jiang, S. H.
—; Huang, Y.: Characterization and Radical Polymerization of (E–CE) C/AA Mesomorphic Solutions, 125
Jog, J. See Nath, K. R., 1395
Johansson, A. See Gölander, C-G., 39
Jönsson, S. See Gölander, C-G., 39
Jonsson, T. See Rogestedt, M., 1055
Joseph, R. See Suma, N., 549
Jovanovic, J. D. See Dvornic, P. R., 1497

Kabay, N.
—; Katakai, A.; Sugo, T.; Egawa, H.: Preparation of Fibrous Adsorbents Containing Amidoxime Groups by Radiation-Induced Grafting and Application to Uranium Recovery from Sea Water, 599
Kadota, K.
—; Chum, S.; Chudnovsky, A.: Bridging the PE Lifetime under Fatigue and Creep Conditions with Its Crystallization Behavior, 863
Kakavas, P. See Blatz, P. J., 2197
Kakimoto, M. See Hayashi, H., 1241
Kaliaguine, S. See Chtourou, H., 361
Kallay, N. See Grancarić, A. M., 175
Kalyanasundaram, M. See Prasad, M. P., 2075
Kamigaito, O. See Kojima, Y., 1259
Kaneko, S. See Nakamura, S., 143
Kapuscinski, M. M. See Rubin, I. D., 111
Karaivanova, M. S.
—; Gjurova, K. M.: Flame-Retardant EPM Compositions for Cable Insulation, Containing Br-N-S Fire Retardants, 159
Kargupta, K.
—; Rai, P.; Kumar, A.: Effect of Graft Chain Length of the Stabilizer on Dispersion Polymerization of Methyl Methacrylate in Petrol, 1309
Kassem, M. E. See Zahran, R. R., 1291
Kassim, R. F. M. See Harun, M. G., 2229
Katakai, A. See Kabay, N., 599
Kawabata, N. See Uramoto, H., 799
Kawasumi, M. See Kojima, Y., 1259
Kelly, J. See Louden, J. D., 275
Kendeil, A. Y. See Zahran, R. R., 1291
Kessira, L.
—; Ricard, A.: Thermal Behavior of Ungrafted and Grafted Bagasse and Wood Pulps, 1603
Kestelman, V. N. See Philippov, G. G., 1589
Khan, M. A.
—; Ali, K. M. I.: Wood Plastic Composite Using Different Monomers in Presence of Additives, 1989
—; Idriss Ali, K. M.; Basu, S. C.: IR Studies of Wood Plastic Composites, 1547
Khanna, U.
—; Chanda, M.: Kinetics of Anhydride Curing of Isophthalic Diglycidyl Ester Using Differential Scanning Calorimetry, 319
Kim, A.
—; Garrett, L. V.; Bosnyak, C. P.; Chudnovsky, A.: Kinetics and Characterization of the Process-Zone Evolution in Polycarbonate, 885
—; Garrett, L. V.; Bosnyak, C. P.; Chudnovsky, A.: Modeling the Process-Zone Kinetics of Polycarbonate, 877
Kim, B. K.
—; Ok, Y. S.: Effect of Acrylonitrile Content of Styrene-*co*-Acrylonitrile (SAN) on Morphology and Electrooptical Properties of Polymer/Liquid Crystal Composite Films, 1769
Kim, D. Y.
—; Kim, Y. S.; Ha, C. S.; Cho, S. J.; Park, D. K.; Cho, W. J.: Syntheses and Electric Conductivities of Poly(methyl vinyl ketone-

co-maleic anhydride)s Reacted with Phosphorus Oxychloride, 719
Kim, G. B. See Kim, K. J., 7
Kim, J. K.
—; Han, M. H.; Go, J. H.; Oh, S. C.: Die Extrusion Behavior of Carbon Black-filled Block Copolymer Thermoplastic Elastomers, 1777
Kim, J. P.
—; Burkinshaw, S. M.: The Effect of *o*-Phenyl Phenol on the Dyeing of an Acrylic Fiber with Basic Dyes, 1647
Kim, J.-J. See Lee, S. H., 539
Kim, K. J.
—; Kim, G. B.; Han, S. H.: Miscibility, Crystallization, and Melting of the Blends of a Ferroelectric VDF/TrFE Copolymer and PMMA, 7
Kim, S. S. See Lee, S. H., 539
Kim, U. Y. See Lee, S. H., 539
Kim, W.-N.
—; Park, C.-E.; Burns, C. M.: Ternary Blends of Poly(amide-6)/Polycarbonate/Poly(ε-caprolactone), 1003
Kim, Y.
—; Choi, K. Y.: Multistage Melt Polymerization of Bisphenol-A and Diphenyl Carbonate to Polycarbonate, 747
Kim, Y. S. See Kim, D. Y., 719
Kiparissides, C.
—; Moustakis, I.; Hamielec, A.: Electrostatic and Steric Stabilization of PVC Primary Particles, 445
Kisiova, T. S. See Troev, K., 777
Kleiman, R. See Swanson, C. L., 1619
Kobayashi, T.
—; Takahashi, S.; Fujii, N.: Silane Coupling Agent Having Dithiocarbamate Group for Photografting of Sodium Styrene Sulfonate on Glass Surface, 417
Kober, M. See Freij-Larsson, C., 815
Kohjiya, S. See Bualek, S., 807
Kojima, Y.
—; Usuki, A.; Kawasumi, M.; Okada, A.; Kurauchi, T.; Kamigaito, O.: Sorption of Water in Nylon 6–Clay Hybrid, 1259
Kokta, B. V. See Chtourou, H., 361
Kondo, K. See Suzuki, T., 1921
Koshy, A. T.
—; Kuriakose, B.; Thomas, S.; Premalatha, C. K.; Varghese, S.: Melt Rheology and Elasticity of Natural Rubber—Ethylene–Vinyl Acetate Copolymer Blends, 901
Kratochvíl, P. See Podešva, J., 1265
Krishnamurti, N. See Vijayalakshmi, V., 1387
Kryszewski, M. See Trznadel, M., 1405
Ku, W.-H. See Lee, Y.-L., 1013
Kultys, A.
—; Podkościelny, W.: Polyesters Containing Sulfur. II. Products of Reaction of Polyesters with Elemental Sulfur, 1615
Kumar, A. See Kargupta, K., 1309
Kumari, M. See Bhadani, S. N., 1471
Kume, K. See Nishioka, T., 711
Kundu, S. K.
—; Ray, P. K.; Sen, S. K.; Bhaduri, S. K.: Characterization of Grafted Jute Fiber by Optical and Scanning Electron Microscopy, 25
Künzler, J. See Friends, G., 1869
Kurauchi, T. See Kojima, Y., 1259
Kuriakose, A. P. See Mathew, G., 2009
Kuriakose, B. See Koshy, A. T., 901
Kvítek, J. See Švorčík, V., 1299, 1939

Lai, J. Y.
—; Chen, M. H.; Shih, C. Y.; Hsu, K. Y.: Acrylic Acid γ-Ray Irradiation-Grafted Nylon 4 Membranes, 1197
Lakhanpal, S. See Misra, B. N., 1979
Lando, J. B. See Hanes, M. D., 1223
Lecacheur, M. See Chiva, V., 461
Lednický, F. See Horák, D., 2041
Lee, S. H.
—; Kim, J.-J.; Kim, S. S.; Kim, U. Y.: Morphology and Performance of Polysulfone Hollow Fiber Membrane, 539
—; See Pratt, J. A., 953
Lee, Y. W.
—; Li, J. X.: Die Drawing Technology of High Molecular Weight Polyethylene, 15
Lee, Y.-L.
—; Sung, P.-H.; Liu, H.-T.; Chou, L.-C.; Ku, W.-H.: Dangling Polymer Networks: Glass Transition of PU Elastomers, 1013
Levin, G.
—; Bromberg, L.: Structure of Gels Formed by Modified Poly(vinyl chloride) and Di(2-ethylhexyl)dithiophosphoric Acid, 1865
—; See Bromberg, L., 1529
Li, C. See Qiu, W., 405
Li, D. See Zhang, J., 741
Li, J. X. See Lee, Y. W., 15
Lin, C.-C. See Shinn, T.-H., 1093
Lin, F.
—; Bhatia, G. S.; Ford, J. D.: Thermal Conductivities of Powder-Filled Epoxy Resins, 1901

Lin, L.
—; Bidstrup, S. A.: Processing Effects on Optical Anisotropy in Spin-Coated Polyimide Films, 1277
Linn, J. H. See Benrashid, R., 523
Liu, H.-T. See Lee, Y.-L., 1013
Liu, Y. See Zhang, L., 1415
Liu, Z. See Zhang, L., 1415
Lorenz, L. F. See Holfinger, M. S., 337
Louden, J. D.
—; Duncan, I. A.; Kelly, J.; Speirs, R. M.: The Application of Infrared Microimaging for the Determination of the Distribution, Penetration Depth, and Diffusion Profile of Methyl Centralite and Dibutyl Phthalate Deterrents in Nitrocellulose Monoperforated Propellant, 275
Lu, F. M.
—; Spruiell, J. E.: The Role of Crystallization Kinetics in the Development of the Structure and Properties of Polypropylene Filaments, 623
Lu, J.-Y. See Chiang, W.-Y., 893
Lu, L. See Qiu, W., 405
Lucas, E. F.
—; Porter, R. S.: Thermal Analyses of Graft Copolymers of Poly(methyl Methacrylate) Main Chain With Poly(Propylene Oxide-*B*-Ethylene Oxide) Graft Chain, 1211
Lucas, L. J. See Van Den Heuvel, C. J. M., 925
Lundberg, D. J. See Ma, Z., 1509

Ma, Z.
—; Lundberg, D. J.; Roberts, S.; Glass, J. E.: Phase Behaviors and Film Properties of Dispersions and Coatings Containing Associative and Conventional Thickeners, 1509
Maa, C.-T.
—; Chang, F.-C.: *In Situ* Compatibilization of PET/PS Blends through Reactive Copolymers, 913
Magdzinski, L. See Cousin, P., 1483
Mai, K.
—; Zeng, H.: High Performance Semi-Interpenetrating Polymeric Networks Based on Acetylene-Terminated Sulfone. Part I. Cure and Thermal Characteristics, 2105
Maiti, M. M. See Basu, S., 1303
Manoj, N. R.
—; De, P. P.; De, S. K.: Self-Crosslinkable Plastic–Rubber Blend System Based on Poly(vinyl Chloride) and Acrylonitrile-*co*-Butadiene Rubber, 133
Marcandalli, B. See Beltrame, P. L., 2235
Martinovic, B. See Petrovic, Z. S., 1659
Martuscelli, E. See Avella, M., 2091
Marzetti, A. See Avella, M., 2091
Mathew, G.
—; Kuriakose, A. P.: A New Binary Accelerator System for the Sulfur Vulcanization of Natural Rubber Latex, 2009
Mathiasson, A. See Gatenholm, P., 197
Mathur, R. B.
—; Mittal, J.; Bahl, O. P.: Biomodification of Polyacrylonitrile (PAN) Fibers, 469
Matisová-Rychlá, L.
—; Chodák, I.; Rychlý, J.; Bussink, J.: Chemiluminescence and Thermooxidation Stability of Poly(2,6-dimethyl-*p*-phenylene ether) in Blends with Polystyrene and Polybutadiene, 1887
Matsuzawa, S. See Hayashi, H., 1825
Mavridis, H.
—; Shroff, R.: Appraisal of a Molecular Weight Distribution-to-Rheology Conversion Scheme for Linear Polyethylenes, 299
McGee, J. See Friends, G., 1869
McHugh, M. A. See Pratt, J. A., 953
Mehta, I. K. See Misra, B. N., 1979
Meister, J. J.
—; Chen, M. J.: Graft Copolymers of Wood Pulp and 1-Phenylethene. I. Generality of Synthesis and Proof of Copolymerization, 935
Miranda, N. R. See Morisato, A., 2065
Misra, B. N.
—; Mehta, I. K.; Rathore, M. P. S.; Lakhanpal, S.: Effect of L(-)Threonine, 5-Hydroxytryptophane, and 5-Hydroxytryptamine on the Ceric-ion-initiated Grafting of Methyl Acrylate onto Cellulose, 1979
Mittal, J. See Mathur, R. B., 469
Miura, T. See Suzuki, T., 1921
Mizutani, Y. See Nakamura, S., 143
Monti, P. See Tsukada, M., 1565, 1835
Morisato, A.
—; Miranda, N. R.; Freeman, B. D.; Hopfenberg, H. B.; Costa, G.; Grosso, A.; Russo, S.: The Influence of Chain Configuration and, in Turn, Chain Packing on the Sorption and Transport Properties of Poly(*tert*-butyl acetylene), 2065
Morita, K. See Sakata, I., 1251
Morita, M. See Sakata, I., 1251
Moskala, E. J.: Effects of Mean Stress and Frequency on Fatigue Crack

Propagation in Rubber-Toughened Polycarbonate/Copolyester Blends, 53
Mourey, T. H. See Jeng, L., 1359
Moustafa, A. B. See Badran, A. S., 187
Moustakis, I. See Kiparissides, C., 445
Muddukrishna, K. R.
—; Padma, D. K.: Partial Reduction of Polytetrafluoroethylene Polymer Sheet by Metals (Cr and Mn) in Pyridinium Poly(hydrogen fluoride) at Room Temperature (Note), 2051
Mulder, M. H. V. See Hensema, E. R., 2081
Myers, G. E. See Ebewele, R. O., 229

Nagai, S. See Agari, Y., 1625
Nakamura, S.
—; Kaneko, S.; Mizutani, Y.: Microporous Polypropylene Sheets Containing $CaCO_3$ Filler, 143
Nakamura, Y.
—; Yamaguchi, M.; Tanaka, A.; Okubo, M.: Thermal Shock Test of IC Packages Sealed with Epoxy Molding Compounds Filled with Irregular-Shaped Silica Particles, 331
Nakane, T. See Yanagishita, H., 565
Nakata, S. See Hayashi, H., 1241
Nando, G. B. See Santra, R. N., 1145
Nath, K. R.
—; Jog, J.: Polymer Crystallization Kinetics: Poly(ethylene terephthalate) and Poly(phenylene sulfide), 1395
Néel, J. See Gref, R., 209
Nelson, G. L. See Benrashid, R., 523
Nguyen, Q. T. See Gref, R., 209
Niezette, J. See Thielen, A., 2137
Nishioka, T.
—; Tanaka, Y.; Kume, K.; Satoh, K.; Teramae, N.; Gohshi, Y.: The Slip-Reducing Mechanism in Polypropylene-Laminated Films Studied by FTIR and XPS, 711
Nozoye, H. See Yanagishita, H., 565
Numajiri, M. See Suzuki, T., 1921

Ogbobe, O.: Study of the Dispersion of Low-Density Polyethylene Additive Masterbatches in Polyolefins, 381
Oh, S. C. See Kim, J. K., 1777
Ohara, S. See Takezawa, Y., 169
Ok, Y. S. See Kim, B. K., 1769
Okada, A. See Kojima, Y., 1259
Okano, T. See Wada, M., 1491
Oki, Y. See Suzuki, T., 1921
Okubo, M. See Nakamura, Y., 331
Ozark, R. See Friends, G., 1869

Pabiot, J. See Delbarre, P., 609
Padma, D. K. See Muddukrishna, K. R., 2051
Paglia, E. D. See Beltrame, P. L., 2235
Pal, R.: Viscous Properties of Polymer-Thickened Water-in-Oil Emulsions, 65
Palani, Raj, W. R.
—; Sasthav, M.; Cheung, H. M.: Formation of Polymeric Foams from Aqueous Foams Stabilized Using a Polymerizable Surfactant, 1453
Paliqal, D. K. See Bajaj, P., 823
Pang, S.
—; Rudin, A.: Size Exclusion Chromatographic Measurement of PVC Molecular Weight Distributions, 1189
Park, C.-E. See Kim, W.-N., 1003
Park, D. K. See Kim, D. Y., 719
Pascault, J.-P. See Chabanne, P., 685; See Georjon, O., 1441
Pascucci, B. See Avella, M., 2091
Peebles, L. H., Jr. See Bhat, G. S., 2207
Pekcan, Ö.: Probing Interphase Domains in Blend-Like Polymer Particles by Transient Fluorescence Technique, 151
—; Demir, Y.: Spin Probe Studies of Nonsolvent Penetration into Polymer Particle formed from Poly(vinyl acetate) and Poly(2-ethylhexyl methacrylate), 1877
Peppas, N. A. See Wu, J. C., 1845
Peters, M. See Schoonbrood, H. A. S., 2029
Petrovic, Z. S.
—; Martinovic, B.; Divjakovic, V.; Budinski-Simendic, J.: Polypropylene–Carbon Black Interaction in Conductive Composites, 1659
Phaovibul, O. See Bualek, S., 807
Philippov, G. G.
—; Gorbunov, A. I.; Kestelman, V. N.: New Equation for Fitting Rheological Data of Bingham Materials, 1589
Phinyocheep, P. See Bualek, S., 807
Pigois-Landureau, E.
—; Chehimi, M. M.: Quantitative Assessment of Acid–Base Properties of Chloride Doped Polypyrrole by Inverse Gas Chromatography (Note), 183
Pillai, C. K. S. See Antony, R., 2129
Pizzi, A.
—; Stephanou, A.: On the Chemistry, Behavior, and

Cure Acceleration of Phenol–Formaldehyde Resins Under Very Alkaline Conditions, 2157
Pluta, M. See Trznadel, M., 1405
Podešva, J.
—; Stejskal, J.; Kratochvíl, P.: Fractionation of a Diblock Copolymer in a Demixing–Solvent System, 1265
Podkościelny, W.
—; Wdowicka, D.: Modification of Polythioesters from Bis(4-mercaptophenyl) ether with Adipoyl, Sebacoyl, and Isophthaloyl Chlorides with the Use of 2,2-Bis(4-hydroxyphenyl)propane, 1
—; See Kultys, A., 1615
Podkościelny, W. M. See Rayss, J., 835
Poehlein, G. W. See Wang, S., 991
Ponrathnam, S. See Rath, A. K., 391
Poole, P. W. See Thames, S. F., 1963
Popoola, A. V.: Effect of Crystallinity on the Kinetics of Liquid Absorption Into Poly(ethylene terephthalate), 2115
Porter, R. S. See Lucas, E. F., 1211
Prasad, M. P.
—; Kalyanasundaram, M.: Ionotropic Crosslinking of Sodium Carboxymethylcellulose and Sodium Carboxymethylcellulose-Gelatin Matrices and Their Erosion Properties, 2075
Pratt, J. A.
—; Lee, S.-H.; McHugh, M. A.: Supercritical Fluid Fractionation of Copolymers Based on Chemical Composition and Molecular Weight, 953
Premalatha, C. K. See Koshy, A. T., 901
Psomiadou, E. See Arvanitoyannis, I., 1733
Pusch, N. See Tsukada, M., 593

Qin, Y.: The Chelating Properties of Chitosan Fibers, 727
Qiu, W.
—; Zeng, W.; Zhang, X.; Li, C.; Lu, L.; Wang, X.; Yang, X.; Sanctuary, B. C.: Preparation and Characterization of Polyureas from Divalent Metal (Ba, Sr, Pb, Zn) Salts of Sulfanilic Acid, 405
Qu, B. J.
—; Rånby, B.: Photocross-linking of Low-Density Polyethylene. III. Supermolecular Structure Studied by SALS, 1799
Quddos, A. See Zulfiqar, M., 2055

Rahman, A. See Thames, S. F., 1963
Rai, P. See Kargupta, K., 1309
Raimo, M. See Avella, M., 2091
Rajagopalan, P. See Bhattacharjee, S., 1971
Rajagopalan, P. T. See Saraf, M. N., 1131
Ramadan, A. M. See Badran, A. S., 187
Raman, S. V. See Saraf, M. N., 1131
Ramarao, M.
—; Scariah, K. J.; Ravindran, P. V.; Chandrasekharan, G.; Alwan, S.; Sastri, K. S.: Correlation of Binder Mechanical Properties with Functionality Type and Molecular Weight Distribution for Hydroxy-Terminated Polybutadienes: ^{13}C-NMR and SEC Studies, 435
Rana, S. K. See Gupta, A. K., 477
Rånby, B. See Qu, B. J., 1799
Rath, A. K.
—; Ponrathnam, S.: Thermotropic Liquid Crystalline Copolyesters. I. Synthesis and Thermal Characterization of the Copolyesters of Terephthaloyl Chloride, Hydroquinone, and 1,4-Butane Diol, 391
Rathore, M. P. S. See Misra, B. N., 1979
Ravindran, P. V. See Ramarao, M., 435
Ray, P. K. See Kundu, S. K., 25
Ray, W. H. See Chen, C. M., 1573; See Jaber, I., 1695; See Jaber, I. A., 1709
Rayss, J.
—; Podkościelny, W. M.; Widomski, J.: The Properties of Polymer Protective Coatings of Optical Fibers. I. The Influence of Active Diluent Concentration on the Properties of UV-Cured Epoxyacrylate Coatings, 835
Rebeyrolle-Bernard, P.
—; Etiévant, P.: Volatile Compounds Extracted from Polypropylene Sheets by Hot Water: Influence of the Temperature of Sheets Injection, 1159
Řehák, V. See Horák, D., 2041
Reichert, W. M. See Walker, D. S., 2147
Reiner, R. S. See Yu, X., 1943
Rembold, M. W. See Wang, H. Z., 701
Ricard, A. See Kessira, L., 1603
Riedl, B. See Chtourou, H., 361
Rietsch, F. See Delbarre, P., 609
Ringblom, H. See Gölander, C-G., 39
River, B. H. See Ebewele, R. O., 229
Roberts, S. See Ma, Z., 1509
Robilă, G.
—; Ivănoiu, M.; Buruiană, T.; Buruiană, E. C.: Anionic

Polyurethane Ionomer for One-Step Electrosynthesis of Conductive Composites, 2025

Rodriguez, F. See Vane, L. M., 765

Rogestedt, M.
—; Jonsson, T.; Hjertberg, T.: Effect of Polymerization Initiator on Early Colour of Poly(Vinyl Chloride), 1055

Romeo, P. See Jeng, L., 1359

Roy, A. See Biswas, M., 2189

Roy, D.
—; Bhowmick, A. K.; De, S. K.: Dynamic Mechanical Properties of Short Carbon Fiber-Filled Styrene–Isoprene–Styrene Block Copolymer, 263
—; Gupta, B. R.: Rheological Behavior of Short Carbon Fiber-Filled Thermoplastic Elastomer Based on Styrene–Isoprene–Styrene Block Copolymer, 1475

Roy, S.
—; Bhattacharjee, S.; Gupta, B. R.: Hydrogenation of Epoxidized Natural Rubber, 375

Rubin, I. D.
—; Kapuscinski, M. M.: Viscosities of Ethylene–Propylene–Diene Terpolymer Blends in Oil, 111

Ruckenstein, E. See Wang, X., 2179

Rudin, A. See Bremner, T., 785; See Pang, S., 1189

Rupavani, J. N. See Vijayalakshmi, V., 1387

Russell, D. J. See Covert, K. L., 657

Russo, S. See Morisato, A., 2065

Rutland, M. W. See Gölander, C-G., 39

Ruvolo Filho, A. See Vittoria, V., 247, 257

Rybka, V. See Švorčík, V., 1299, 1939

Rybnikar, F.
—; Geil, P. H.: Melting and Recrystallization of PA-6/PA-66 Blends, 1175

Rychlý, J. See Matisová-Rychlá, L., 1887

Saad, A. L. G.
—; Hassan, A. M.; Gad, E. A. M.: Electrical Properties of Poly(vinyl chloride) Compositions, 1725

Sain, M. M. See Hudec, I., 425

Sakata, I.
—; Morita, M.; Tsuruta, N.; Morita, K.: Activation of Wood Surface by Corona Treatment to Improve Adhesive Bonding, 1251

Salch, J. H. See Fanta, G. F., 1679; See Swanson, C. L., 1683

Samantaray, B. K. See Santra, R. N., 1145

Samuelson, A. G. See Vijayashree, M. N., 2171

Sanctuary, B. C. See Qiu, W., 405

Santra, R. N.
—; Samantaray, B. K.; Bhowmick, A. K.; Nando, G. B.: *In Situ* Compatibilization of Low-Density Polyethylene and Polydimethylsiloxane Rubber Blends Using Ethylene–Methyl Acrylate Copolymer as a Chemical Compatibilizer, 1145

Saraf, M. N.
—; Gupta, R. K.; Raman, S. V.; Rajagopalan, P. T.: An Aromatic Amine as a Co-Curing Agent in Epoxy–Bisimide Blends, 1131

Sasthav, M. See Palani, Raj, W. R., 1453

Sastri, K. S. See Ramarao, M., 435

Satoh, K. See Nishioka, T., 711

Scariah, K. J. See Ramarao, M., 435

Schaetzel, P. See Gref, R., 209

Schlup, J. R. See Fu, J. H., 219

Schoonbrood, H. A. S.
—; Thijssen, H. A.; Brouns, H. M. G.; Peters, M.; German, A. L.: Semicontinuous Emulsion Copolymerization to Obtain Styrene–Methyl Acrylate Copolymers with Predetermined Chemical Composition Distributions, 2029

Schork, F. J. See Fontenot, K., 633

Scola, D. A. See Iroh, J. O., 583

Seidl, P. See Švorčík, V., 1939

Seitz, J. T.: The Estimation of Mechanical Properties of Polymers from Molecular Structure, 1331

Sen Gupta, S. K. See Bhadani, S. N., 397, 1471

Sen, S. K. See Kundu, S. K., 25

Seppälä, J. See Ikkala, O. T., 1165

Seves, A. See Beltrame, P. L., 2235

Shaffei, K. A. See Badran, A. S., 187

Shen, J. See Fu, Q., 673

Shi, Y. See Zhang, J., 741

Shih, C.
—; Waldron, N.; Traugott, C.: Quantitative Analysis of Branching in Poly(*ortho*-ester) Networks, 2221

Shih, C. Y. See Lai, J. Y., 1197

Shinn, T.-H.
—; Lin, C.-C.: Studies on Co[poly(ethylene terephthalate-*p*-oxybenzoate)] Thermotropic Copolyester (III) Morphological Observation by Polarizing Microscopy, 1093

Shiomi, Y. See Suzuki, T., 1921

Shiozaki, H. See Tsukada, M., 593, 1835

Shroff, R. See Mavridis, H., 299

Shukla, S. R.
—; Athalye, A. R.: Thermal Properties of 2-Hydroxyethyl Methacrylate Grafted Polypropylene, 2019
—; Gopala Rao, G. V.; Athalye, A. R.: Improving Graft Level during Photoinduced Graft-Copolymerization of Styrene onto Cotton Cellulose, 1423
Singh, B. C. See Das, H. K., 1107
Slavin, S. E.
—; Beswick, G. T.: Instrumented Izod Impact Testing, 1065
Smolders, C. A. See Hensema, E. R., 2081
Speirs, R. M. See Louden, J. D., 275
Spruiell, J. E. See Lu, F. M., 623
St. Clair, A. K. See Dorogy, W. E., Jr., 501
Stejskal, J. See Podešva, J., 1265
Stephanou, A. See Pizzi, A., 2157
Strålin, A.
—; Hjertberg, T.: Improved Adhesion Strength Between Aluminum and Ethylene Copolymers by Hydration of the Aluminum Surface, 511
Subramanyam, S. V. See Vijayashree, M. N., 2171
Suchiva, K. See Bualek, S., 807
Sugiyama, J. See Wada, M., 1491
Sugo, T. See Kabay, N., 599
Suma, N.
—; Joseph, R.; George, K. E.: Improved Mechanical Properties of NR/EPDM and NR/Butyl Blends by Precuring EPDM and Butyl, 549
Sung, P.-H. See Lee, Y.-L., 1013
Šúňová, V. See Hudec, I., 425
Suzuki, T.
—; Oki, Y.; Numajiri, M.; Miura, T.; Kondo, K.; Shiomi, Y.; Ito, Y.: Novolac Epoxy Resins and Positron Annihilation, 1921
Švec, F. See Horák, D., 2041
Švorččík, V.
—; Rybka, V.; Endršt, R.; Hnatowicz, V.; Kvítek, J.; Seidl, P.: Surface Modification of Polyethylene and Polypropylene by Ion Implantation, 1939
—; Rybka, V.; Hnatowicz, V.; Kvítek, J.: The Influence of Implantation Conditions on the Surface Structure of Polypropylene, 1299
Swanson, C. L.
—; Burg, D. A.; Kleiman, R.: Meadowfoam Monoenoic Fatty Acid Amides as Slip and Antiblock Agents in Polyolefin Film, 1619
—; Fanta, G. F.; Salch, J. H.: Skin and Layer Formation in Films Prepared from Carbohydrates, Poly(ethylene-*co*-acrylic acid), and Polyethylene, 1683

Takahashi, S. See Kobayashi, T., 417
Takezawa, Y.
—; Ohara, S.: Polymer Optical Fiber for Near Infrared Use, 169
Tanaka, A. See Nakamura, Y., 331
Tanaka, Y. See Nishioka, T., 711
Tantardini, G. F. See Beltrame, P. L., 2235
Tebelius, L. K. See Thorstenson, T. A., 103
Tengvall, P. See Freij-Larsson, C., 815
Teramae, N. See Nishioka, T., 711
Thames, S. F.
—; Rahman, A.; Poole, P. W.: The Maleinization of Low Molecular Weight Guayule Rubber, 1963
Theodore, A. N.
—; Carter, R. O., III: Characterization of Fluoroelastomer Networks. I. Infrared Analysis, 1071
Thielen, A.
—; Vanderschueren, J.; Niezette, J.; Feyder, G.: Method of Determination of Transient and Steady-State Conductivity in Polyethylene Terephthalate Ultrathin Films, 2137
Thijssen, H. A. See Schoonbrood, H. A. S., 2029
Thomas, S. See Koshy, A. T., 901
Thorstenson, T. A.
—; Tebelius, L. K.; Urban, M. W.: Surface and Interfacial FT–IR Spectroscopic Studies of Latexes. VI. Orientation and Spatial Distribution of Acid Functionalities at the Film–Substrate Interface, 103
Tighzert, L. See Chabanne, P., 685
Ting, C.-Y. See Yang, C.-P., 1019, 1431
Traugott, C. See Shih, C., 2221
Trimnell, D. See Fanta, G. F., 1679
Tripathy, D. K. See Varughese, S., 1115
Troev, K.
—; Kisiova, T. S.; Grozeva, A. T.; Borisov, G.: Synthesis of Phosphorus-, Zinc-, and Chlorine-Containing Poly(ethylene terephthalate), 777
Trznadel, M.
—; Pluta, M.; Kryszewski, M.: Oriented PP–PS Composites Obtained by Polymerization of Styrene Inside Oriented PP Matrices I. Dispersion of PS and the Composites' Orientation, 1405
Tsatsaroni, E. See Arvanitoyannis, I., 1733

Tseng, H. C. See Wang, Y. Z., 1047; See Chu, L.-H., 1791
Tsonis, C. P.: Thermal Decomposition of Acrylic–SO_2 Copolymers, 1233
Tsukada, M.
—; Freddi, G.; Monti, P.; Bertoluzza, A.: Physical Properties of Silk Fibers Grafted With a Binary Mixture of Styrene and *n*-Butyl Methacrylate, 1565
—; Freddi, G.; Monti, P.; Bertoluzza, A.; Shiozaki, H.: Physical Properties of 2-Hydroxyethyl Methacrylate-Grafted Silk Fibers, 1835
—; Freddi, G.; Shiozaki, H.; Pusch, N.: Changes in Physical Properties of Methacrylonitrile (MAN)-Grafted Silk Fibers, 593
Tsuruta, N. See Sakata, I., 1251
Tuminello, W. H. See Chu, B., 97
Tung, L. H.: A Stepwise Scheme for the Calculation of Molecular Weight Distribution in Condensation Polymers. I. Scheme for Monomolecular Condensation Polymers, 1353

Ueda, A. See Agari, Y., 1625
Unzué, M. J.
—; Asua, J. M.: Semicontinuous Miniemulsion Terpolymerization: Effect of the Operation Conditions, 81
Uramoto, H.
—; Kawabata, N.: Contribution of Adsorptive or Acid–Base Interaction Between Phenol Molecules and Polyvinylpyridine Membrane to the Large Permeability of Phenol through the Membrane, 799
Urban, M. W. See He, M., 345; See Thorstenson, T. A., 103
Usuki, A. See Kojima, Y., 1259
Utani, K. See Bualek, S., 807

Van Den Heuvel, C. J. M.
—; Heuvel, H. M.; Faassen, W. A.; Veurink, J.; Lucas, L. J.: Molecular Changes of PET Yarns During Stretching Measured with Rheo-Optical Infrared Spectroscopy and Other Techniques, 925
Vanderschueren, J. See Thielen, A., 2137
Vane, L. M.
—; Rodriguez, F.: Dissolution and Crystallization Behavior of Poly(ethylene terephthalate)–Diluent Mixtures, 765
Varghese, S. See Koshy, A. T., 901
Varma, D. S. See Choudhary, L., 91
Varma, I. K. See Bharel, R., 31; See Choudhary, L., 91; See Choudhary, V., 1751
Varughese, S.
—; Tripathy, D. K.: Effect of Mode of Filler Addition on the Dynamic Mechanical Properties of Epoxidized Natural Rubber-*cis*-1,4-polybutadiene Rubber Blend, 1115
Veurink, J. See Van Den Heuvel, C. J. M., 925
Vijayalakshmi, V.
—; Rupavani, J. N.; Krishnamurti, N.: Synthesis of 3-Substituted-2-cyanoacrylates: Their Evaluation as Cross-linkers in Cyanoacrylate Adhesive Compositions, 1387
Vijayashree, M. N.
—; Subramanyam, S. V.; Samuelson, A. G.: High Pressure and Low Temperature Conducting Properties of Organic Semiconducting Metal-Anthraquinones, 2171
Vittoria, V.
—; Ruvolo Filho, A.: Transport Properties of Dichloromethane in Glassy Polymers. II. Amorphous Syndiotactic Polystyrene Films, 247
—; Ruvolo Filho, A.: Transport Properties of Dichloromethane in Glassy Polymers. III. Drawn Atactic Polystyrene Films, 257
Vrentas, C. M. See Vrentas, J. S., 733
Vrentas, J. S.
—; Vrentas, C. M.: Strain-Coupling Effects in Extensional Flows, 733

Wada, M.
—; Sugiyama, J.; Okano, T.: Native Celluloses on the Basis of Two Crystalline Phase ($I\alpha/I\beta$) System, 1491
Wade, W. R. See Benrashid, R., 523
Waldron, N. See Shih, C., 2221
Walker, D. S.
—; Balasubramanian, K.; Reichert, W. M.: Low Loss HEMA/EMA Copolymer Waveguides With a Range of Wetting and Optical Properties, 2147
Wan, M.
—; Yang, J.: Growth Mechanism of Transparent and Conducting Composite Films of Polyaniline, 1639
Wang, F. W. See Choudhary, L., 91
Wang, G. See Fu, Q., 673, 1985
Wang, H. Z.
—; Rembold, M. W.; Wang, J. Q.: Characterization of Surface Properties of Plasma-Polymerized Fluorinated Hydrocarbon Layers: Surface Stability as a Requirement for Permanent Water Repellency, 701
Wang, J. See Chu, B., 97
Wang, J. Q. See Wang, H. Z., 701

Wang, M. See Chen, H.-Z., 679
Wang, S.
—; Poehlein, G. W.: Investigation of the Sequence Distribution of Bulk and Emulsion Styrene–Acrylic Acid Copolymers by ^{1}H- and ^{13}C-NMR, 991
Wang, X.
—; Ruckenstein, E.: On the Gel Effect in Methyl Methacrylate Polymerization and Its Copolymerization with Various Acrylates in the Presence of a Chain Transfer Agent, 2179
—; See Qiu, W., 405
Wang, Y. Z.
—; Hsieh, K. H.; Chen, L. W.; Tseng, H. C.: Effect of Compatibility on Heat Capacity of Molten Polyblends, 1047
Wdowicka, D. See Podkościelny, W., 1
Weiping, L.
—; Yun, L.; Hanmin, Z.: Extraction of Gold from Au(III) Ion Containing Solution by a Reactive Fiber, 1635
Wesslén, B. See Freij-Larsson, C., 815
Whalen, J. M. See Chao, H. S.-I., 1537
Wheeler, L. See Jeng, L., 1359
Widomski, J. See Rayss, J., 835
Willquist, E. See Freij-Larsson, C., 815
Wimmer, E. See Chiva, V., 461
Wu, J. C.
—; Peppas, N. A.: Numerical Simulation of Anomalous Penetrant Diffusion in Polymers, 1845

Yamaguchi, M. See Nakamura, Y., 331
Yamashita, S. See Bualek, S., 807
Yamauchi, T.
—; Hasegawa, A.: Determination of PEG Concentration in Its Aqueous Solution Using Differential Scanning Calorimetry, 1653
Yanagishita, H.
—; Nakane, T.; Nozoye, H.; Yoshitome, H.: Preparation of Polyimide Composite Membranes by Chemical Vapor Deposition and Polymerization Technique (CVDP), 565
Yang, C.-P.
—; Chen, Y.-H.: Coemulsion and Electrodeposition Properties of Mixtures of Polyoxypropylene-Modified Cationic Epoxy Resin and Nonionic Trimethylolpropane–Toluene Diisocyanate–2-Ethylhexanol Crosslinker, 1031
—; Ting, C.-Y.: Preparation of Quaternary Ammonium Resin by Epoxy Resin and Tertiary Amine and Its Electrodeposition Properties, 1019
—; Ting, C.-Y.: The Effect of Different Ammonium Structure of Quaternary Ammonium Resin on the Electrochemical Properties, 1431
Yang, J. See Wan, M., 1639
Yang, S.-L. See Chen, H.-Z., 679
Yang, X. See Qiu, W., 405
Yasuda, H. K. See Gölander, C-G., 39
Yoshitome, H. See Yanagishita, H., 565
Younan, A. F.
—; Al-Kobtan, A. F.; Badran, B. M.: Epoxidized Linseed Oil-Free Fatty Acids Modified with Substituted Anilines as Antioxidants and Antirads for SBR Vulcanizates, 1123
Yu, D.-H. See Chen, Y., 851
Yu, H.
—; Grainger, D. W.: Thermo-Sensitive Swelling Behavior in Crosslinked *N*-Isopropylacrylamide Networks: Cationic, Anionic, and Ampholytic Hydrogels, 1553
Yu, X.
—; Grady, B. P.; Reiner, R. S.; Cooper, S. L.: Mechanical and Thermal Properties of UV-Curable Polyurethane and Polyurea Acrylates, 1943
Yun, L. See Weiping, L., 1635

Zahran, R. R.
—; Kendeil, A. Y.; Higazy, A. A.; Kassem, M. E.: Ultrasonic and Thermal Properties of γ-Irradiated Low-Density Polyethylene, 1291
Zeng, H. See Mai, K., 2105
Zeng, W. See Qiu, W., 405
Zhang, J.
—; Li, D.; Zhang, X.; Shi, Y.: Solvent Effect on Carboxymethylation of Cellulose (Note), 741
Zhang, L.
—; Liu, Y.; Liu, Z.: Study on the Polymer Latex Agglomeration by Another Polymer Latex, 1415
Zhang, X. See Qiu, W., 405; See Zhang, J., 741
Zimmermann, H. See Behnisch, J., 117; See Holländer, A., 1857
Zulfiqar, M.
—; Quddos, A.; Zulfiqar, S.: Polyurethane Networks Based on Poly(ethylene oxide), 2055
Zulfiqar, S. See Zulfiqar, M., 2055